

# Catalogue

## Surround Sound System



jazz+

EFAPEL present  
the **new**  
Surround Sound System



## index

<b>mec21</b>	<b>6</b>
<hr/>	
<b>SOLO</b>	<b>7</b>
control units 230 V ~	<b>7</b>
<b>ORQUESTRA</b>	<b>7</b>
central 12 V =	<b>7</b>
control units 12 V =	<b>7</b>
finishings	<b>8</b>
<b>mecQ45</b>	<b>10</b>
<hr/>	
<b>SOLO</b>	<b>11</b>
control units 230 V ~	<b>11</b>
<b>ORQUESTRA</b>	<b>11</b>
central 12 V =	<b>11</b>
control units 12 V =	<b>11</b>
accessories	<b>11</b>
finishings	<b>12</b>
<b>accessories</b>	<b>15</b>
<hr/>	
loudspeakers	<b>15</b>
power supplies	<b>16</b>
amplifier	<b>16</b>
<hr/>	
<b>technical information</b>	<b>17</b>

# jazz+




The new EFAPEL Surround Sound system has been designed to **provide an immersive** and high-quality **sound experience** in **various environments**, from residential to commercial, services, and hospitality industry.

With the ability to integrate into the **mec21** and **mecQ45** systems, an elegant design and advanced, and advanced functionalities, the **Jazz+** aims to transform any space into a stage of harmony and acoustic comfort.



+ SOLO 230 V~  
**Easy installation  
 and stand-alone**


The Jazz+ **Solo** solution allows a quick and easy installation, without the need of a dedicated central unit or power supply. With just a remote control and speakers, you can enjoy your favourite music via Bluetooth or tune into FM radio stations.



Control Unit

+ ORQUESTRA 12 V==  
**Multi-space and  
 dedicated installation**


For a more global, thoughtful and sophisticated sound experience, we present the Jazz+ **Orchestra**. This solution is ideal for commercial spaces, hospitality industry and more structured residential environments. It requires a dedicated central unit and power supply, allowing the diffusion of various sound sources throughout the installation.



Power Supply

Central

Control Unit








LOGUS90  
Control Unit FM with Display and Bluetooth












APOLO5000  
Control Unit FM

## SOLO

control units	ref.	cover plates	ref.	color
 <p><b>Control Unit FM and Bluetooth 230 V~</b>                      With FM radio tuner                      Compatible Bluetooth                      Mono and/or Stereo                      Rated voltage: 100 - 240 V ~                      Impedance: 2 output to 8 Ω each                      Power for output: 2 W</p>	75201	 <p>Cover Plate for Control FM with Display</p>	90855 T	BR MF GE PE AL IS PM DU
 <p><b>Control Unit FM 230 V~</b>                      With FM radio tuner                      Mono and/or Stereo                      Rated voltage: 100 - 240 V ~                      Impedance: 2 output to 8 Ω each                      Power for output: 2 W</p>	75200	 <p>Cover Plate for Control FM</p>	90854 T	BR MF GE PE AL IS PM DU
		 <p></p>	50854 T	BR MF BM PM PR GR PL CH

## ORQUESTRA


Centrals	ref.	cover plates	ref.	color
 <p><b>Central with USB, Bluetooth and Jack 3,5 mm 12 V ~</b>                      Allows input and distribution of 1 external supply of type Jack 3,5 mm, USB or Bluetooth                      Distributes sound up to 8 control units</p>	75211	 <p>Cover Plate for Central with USB, Bluetooth and Jack 3,5 mm</p>	90856 T	BR MF GE PE AL IS PM DU
		 <p></p>	50856 T	BR MF BM PM PR GR PL CH

control units	ref.	cover plates	ref.	color
 <p><b>Control Unit FM e Bluetooth 12 V ~</b>                      With FM radio tuner                      Compatible Bluetooth                      Rated voltage: 12 V ~                      Impedance: 2 output to 8 Ω each                      Power for output: 2 W</p>	75221	 <p>Cover Plate for Control FM with Display</p>	90855 T	BR MF GE PE AL IS PM DU
 <p><b>Control Unit FM 12 V ~</b>                      With FM radio tuner                      Rated voltage: 12 V ~                      Impedance: 2 output to 8 Ω each                      Power for output: 2 W</p>	75220	 <p>Cover Plate for Control FM with Display</p>	50855 T	BR MF BM PM PR GR PL CH
		 <p></p>	90855 T	BR MF GE PE AL IS PM DU
		 <p></p>	50855 T	BR MF BM PM PR GR PL CH

ORQUESTRA: see power supply on page 16.

T - Rocker, Cover Plate or Frame | BR - White; MF - Ivory; GE - Ice; PE - Pearl; AL - Aluminium; IS - Gray; PM - Matte Black; DU - Golden; BM - Matte White; PR - Silver; GR - Graphite; PL - Platinum; CH - Champagne.

finishings



LOGUS90



**standard / aquarella**

ref.

<b>BR</b> White	90910 TBR
<b>MF</b> Ivory	90910 TMF
<b>GE</b> Ice	90910 TGE
<b>PE</b> Pearl	90910 TPE
<b>AL</b> Aluminium	90910 TAL
<b>IS</b> Gray	90910 TIS
<b>PM</b> Matte Black	90910 TPM
<b>DU</b> Golden	90910 TDU



**animato**

ref.

<b>BB</b> White / White	90910 TBB
<b>MM</b> Ivory / Ivory	90910 TMM
<b>EE</b> Ice / Ice	90910 TEE
<b>PP</b> Pearl / Pearl	90910 TPP
<b>RG</b> Yellow / Ice	90910 TRG
<b>DG</b> Green / Ice	90910 TDG
<b>ZG</b> Blue / Ice	90910 TZG
<b>JG</b> Orange / Ice	90910 TJG
<b>VG</b> Red / Ice	90910 TVG
<b>TS</b> Intense Orange / Gray	90910 TTS
<b>BS</b> Intense Red / Gray	90910 TBS
<b>AA</b> Aluminium / Aluminium	90910 TAA
<b>AS</b> Aluminium / Gray	90910 TAS
<b>SS</b> Gray / Gray	90910 TSS
<b>PG</b> Matte Black / Ice	90910 TPG
<b>PA</b> Matte Black / Aluminium	90910 TPA
<b>PS</b> Matte Black / Gray	90910 TPS
<b>RR</b> Matte Black / Matte Black	90910 TRR
<b>UG</b> Golden / Ice	90910 TUG
<b>DU</b> Golden / Golden	90910 TUU



**metallo**

ref.

<b>TP</b> Titanium / Pearl	90910 TTP
<b>IA</b> Inox / Aluminium	90910 TIA
<b>OP</b> Gold / Pearl	90910 TOP
<b>QS</b> Nickel / Gray	90910 TQS
<b>US</b> Aluminium / Gray	90910 TUS
<b>RS</b> Chrome / Gray	90910 TRS
<b>OU</b> Gold / Golden	90910 TOU

**crystal**

ref.

<b>CG</b> Crystal / Ice	90910 TCG
<b>CP</b> Crystal / Pearl	90910 TCP
<b>CA</b> Crystal / Aluminium	90910 TCA
<b>CS</b> Crystal / Gray	90910 TCS
<b>EG</b> Black Crystal / Ice	90910 TEG
<b>EA</b> Black Crystal / Aluminium	90910 TEA
<b>ES</b> Black Crystal / Gray	90910 TES
<b>EP</b> Black Crystal / Matte Black	90910 TEP

**petra**

ref.

<b>GG</b> Granite / Ice	90910 TGG
<b>GP</b> Granite / Pearl	90910 TGP
<b>GA</b> Granite / Aluminium	90910 TGA
<b>GS</b> Granite / Gray	90910 TGS

**arbore**


ref.

<b>FP</b> Beech Wood / Pearl	90910 TFP
<b>JP</b> Cherry Tree / Pearl	90910 TJP
<b>MS</b> Mahogany / Gray	90910 TMS
<b>NA</b> Walnut Tree / Aluminium	90910 TNA

\*for other frames sizes modify references: 90920 T (double), 90930 T (triple), 90940 T (four-gang), 90950 T (five-gang).



finishings



APOLO**5000**



**standard**

ref.

**BR** White

50910 **TBR**

**MF** Ivory

50910 **TMF**

**mate**

ref.

**BM** Matte White

50910 **TBM**

**PM** Matte Black

50910 **TPM**

**metalizada**

ref.

**PR** Silver

50910 **TPR**

**PL** Platinum

50910 **TPL**

**GR** Graphite

50910 **TGR**

**CH** Champagne

50910 **TCH**

\*for other frames sizes modify references: **50921 T** (double horizontal), **50931 T** (triple horizontal), **50941 T** (four-gang horizontal), **50922 T** (double vertical), **50932 T** (triple vertical), **50942 T** (four-gang vertical).





SIZA  
Control Unit FM with Display and Bluetooth




LATINA  
Central with USB, Bluetooth and Jack 3,5 mm










## SOLO

control units		ref.	color
	<b>Control Unit FM with Display and Bluetooth 230 V~ - 2 Modules</b> With FM radio tuner Compatible Bluetooth Mono and/or Stereo Rated voltage: 100 - 240 V ~ Impedance: 2 output to 8 Ω each Power for output: 2 W	75401 S	BR BM PM AL
	<b>Control Unit FM 230 V~ - 2 Modules</b> With FM radio tuner Mono and/or Stereo Rated voltage: 100 - 240 V ~ Impedance: 2 output to 8 Ω each Power for output: 2 W	75400 S	BR BM PM AL

## ORQUESTRA

central		ref.	color
	<b>Central with USB, Bluetooth and Jack 3,5 mm 12 V --- - 2 Modules</b> Allows input and distribution of 1 external supply of type Jack 3,5 mm, USB or Bluetooth Distributes sound up to 8 control units	75411 S	BR BM PM AL

control units		ref.	color
	<b>Control Unit FM with Display and Bluetooth 12 V --- - 2 Modules</b> With FM radio tuner Compatible Bluetooth Mono and/or Stereo Rated voltage: 12 V --- Impedance: 2 output to 8 Ω each Power for output: 2 W	75421 S	BR BM PM AL
	<b>Control Unit FM with Display 12 V --- - 2 Modules</b> With FM radio tuner Mono and/or Stereo Rated voltage: 12 V --- Impedance: 2 output to 8 Ω each Power for output: 2 W	75420 S	BR BM PM AL

accessories mecQ45		ref.	color
	<b>Adapter Q45 for Flush Mounting Devices</b> (Siza and Quadra Series)	45993	
	<b>Adapter Q45 with Claws for Flush Mounting Devices</b> (Siza and Quadra Series)	45994	
	<b>Fixing Adapter for Flush Mounting Devices LATINA - 2 Modules</b>	42993	-
	<b>Fixing Adapter with Claws for Flush Mounting Devices LATINA - 2 Modules</b>	42994	
	<b>Box Fixing Adapter for up to 3 Modules</b>	41994	

ORQUESTRA: see power supply on page 16.

S - Semi-assembled. I BR - White; MF - Ivory; GE - Ice; PE - Pearl; AL - Aluminium; IS - Gray; PM - Matte Black; DU - Golden; BM - Matte White; PR - Silver; GR - Graphite; PL - Platinum; CH - Champagne.

### finishings



SIZA



**standard**

ref.

**BR** White

43910 **TBR**

**mate**

ref.

**BM** Matte White

43910 **TBM**

**AL** Aluminium

43910 **TAL**

**PM** Matte Black

43910 **TPM**

\*for other frames sizes modify references: **43920 T** (SIZA double), **43930 T** (SIZA triple), **43940 T** (SIZA four-gang).

### finishings



QUADRA



**standard**

ref.

**BR** White

45910 **TBR**

**mate**

ref.

**BM** Matte White

45910 **TBM**

**AL** Aluminium

45910 **TAL**

**PM** Matte Black

45910 **TPM**

\*for other frames sizes modify references: **45920 T** (double), **45930 T** (triple), **45940 T** (four-gang).

**finishings**



**LATINA**



**standard**

ref.

ref.

**BR** White

42910 **TBR**

41914 **TBR**

**aquarella**

ref.

ref.

**BM** Matte White

42910 **TBM**

41914 **TBM**

**AL** Aluminium

42910 **TAL**

41914 **TAL**

**PM** Matte Black

42910 **TPM**

41914 **TPM**

**lyra**

ref.

ref.

**CE** Creme

42910 **TCE**

41914 **TCE**

**AZ** Blue

42910 **TAZ**

41914 **TAZ**

**AM** Yellow

42910 **TAM**

41914 **TAM**

**VR** Green

42910 **TVR**

41914 **TVR**

**LR** Orange

42910 **TLR**

41914 **TLR**

**RJ** Red

42910 **TRJ**

41914 **TRJ**

**ligna**

ref.

ref.

**RO** Oak

42910 **TRO**

41914 **TRO**

**FA** Beech

42910 **TFA**

41914 **TFA**

**MG** Mahogany

42910 **TMG**

41914 **TMG**

**WG** Wenge

42910 **TWG**

41914 **TWG**

\*for other frames sizes modify references: **42920 T** (double), **42930 T** (triple), **42940 T** (four-gang), **41916 T** (3 Modules), **41917 T** (4 Modules), **41918 T** (6 Modules), **41926 T** (3+3 Modules).

**finishings**



**LATINA**



**metallum**

ref.

ref.

**LU** Aluminium

42910 **TLU**

41914 **TLU**

**RB** Ruddy

42910 **TRB**

41914 **TRB**

**CO** Copper

42910 **TCO**

41914 **TCO**

**OR** Gold

42910 **TOR**

41914 **TOR**

**CR** Chrome

42910 **TCR**

41914 **TCR**

**croma**

ref.

ref.

**BH** Matte White / Chrome

42910 **TBH**

41914 **TBH**

**AH** Aluminium / Chrome

42910 **TAH**

41914 **TAH**

**PH** Matte Black / Chrome

42910 **TPH**

41914 **TPH**

**crystal**

ref.

**CB** Crystal / Matte White

41916 **TCB**

**CA** Crystal / Aluminium

41916 **TCA**

**CK** Crystal / Matte Black

41916 **TCK**

**EB** Black Crystal / Matte White

41916 **TEB**

**EA** Black Crystal / Aluminium

41916 **TEA**

**EP** Black Crystal / Matte Black

41916 **TEP**

\*for other frames sizes modify references: **42920 T** (double), **42930 T** (triple), **42940 T** (four-gang), **41916 T** (3 modules), **41917 T** (4 modules), **41918 T** (6 modules), **41926 T** (3+3 modules).



Loudspeakers of 3" and 5"  
round grille



Loudspeakers of 3" and 5"  
square grille

## accessories

### loudspeakers

5"



**Loudspeaker of 5" - 8 Ohm**

RMS: 35 W  
Maximum power: 50 W  
Frequency response: 75 - 20000 Hz

75121

**Loudspeaker of 5" - 16 Ohm**

RMS: 35 W  
Maximum power: 50 W  
Frequency response: 75 - 20000 Hz

75122

3"



**Loudspeaker of 3" - 8 Ohm**

RMS: 20 W  
Maximum power: 30 W  
Frequency response: 130 - 20000 Hz

75131

**Loudspeaker of 3" - 16 Ohm**

RMS: 20 W  
Maximum power: 30 W  
Frequency response: 130 - 20000 Hz

75132

2"



**Loudspeaker of 2" - 8 Ohm**

Maximum power: 10 W  
Frequency response: 450 - 5000 Hz

2<sup>o</sup> Sem. 2024 75141

**Loudspeaker of 2" - 16 Ohm**

Maximum power: 10 W  
Frequency response: 450 - 5000 Hz

2<sup>o</sup> Sem. 2024 75142

### cover plates

ref.

color



Round Grille for Loudspeaker of 5"  
External dimensions (mm): ø 204

75128 T

BR



Square Grille for Loudspeaker of 5"  
External dimensions (mm): 204 x 204

75129 T



Round Grille for Loudspeaker of 3"  
External dimensions (mm): ø 118

75138 T

BR



Square Grille for Loudspeaker of 3"  
External dimensions (mm): 118 x 118

75139 T



Cover Plate for Loudspeaker of 2"

90710 T

BR MF  
GE PE AL  
IS PM DU

Cover Plate for Loudspeaker of 2"

50710 T

BR MF  
BM PM  
PR GR PL CH

T - Rocker, Cover Plate or Frame. | C - Complete Devices. | BR - White; MF - Ivory; GE - Ice; PE - Pearl; AL - Aluminium; IS - Gray; PM - Matte Black; DU - Golden; BM - Matte White; PR - Silver; GR - Graphite; PL - Platinum; CH - Champagne.

**loudspeakers**

ref. color

surface mounting 5"



**Surface Mounting Flat 2-Way Loudspeaker of 5" - 8 Ohm**

External dimensions (mm): 274 x 185 x 36,5  
 RMS: 25 W  
 Maximum power: 40 W  
 Frequency response: 80 - 19000 Hz

75104 C

BR

**Surface Mounting Flat 2-Way Loudspeaker of 5" - 16 Ohm**

External dimensions (mm): 274 x 185 x 36,5  
 RMS: 25 W  
 Maximum power: 40 W  
 Frequency response: 80 - 19000 Hz

75105 C

**power supplies**

ref. color



**Power Supply for False Ceiling 12 V --- 18 W**

Input: 100-240 V ~ 150 - 60 Hz  
 Output: 12 V --- 18 W - 1,5 A  
 Up to 1 Sound Central Unit and 2 Control Units

75054



**Power Supply for DIN Rail 12 V --- 24 W**

Input: 100-240 V ~ 150 - 60 Hz  
 Output: 12 V --- 24 W - 2 A  
 Up to 1 Sound Center and 4 Control Units  
 Size: 2 Modules DIN

75055

—



**Power Supply for DIN Rail 12 V --- 54 W**

Input: 100-240 V ~ 150 - 60 Hz  
 Output: 12 V --- 54 W - 4,5 A  
 Up to 1 Sound Center and 8 Control Units  
 Size: 3 Modules DIN

75056

**amplifier**

ref. color



**Stereo Amplifier for False Ceiling - 12 V ---**

Output Power: Stereo - 12 W + 12 W (4 Ohm) or 6 W + 6 W (8 Ohm);  
 Mono - 12 W (4 Ohm) or 6 W (8 Ohm)  
 Rated voltage: 12 V --- 4 Loudspeakers Mono or 8 Loudspeakers Stereo by Amplifier  
 Função: Stand by

75033

[See Technical information on page 23](#)

C - Complete Devices. | BR - White.





**Technical  
Information**

**Installation Selection**

**SOLO** (230 V ~)

Composition



Control units



Loudspeakers

Solo is the **System without Central** - It allows the diffusion and control of sound (FM or Bluetooth\*) in a given space through the **Sound Control**.

This system is made up of the following elements:

- Control units
- Loudspeakers

\* According to the Control Unit version

**ORQUESTRA** (12 V =)

Composition



Power supplies



Centrals



Control units



Amplifier  
(Opcional)



Loudspeakers


It allows the sound diffusion of the same audio signal from an external source connected to the **Central** (USB, Bluetooth or Jack 3,5 mm) through different spaces with individual volume control through the various **Controls Units**.

This system is made up of the following elements:


- Power Supply
- Centrals
- Control Unit de Som
- Amplifier
- Loudspeakers

Loudspeakers


Dimensions - 75131 | 75132 (mm)



Dimensions - 75121 | 75122 (mm)




Dimensions - 75104 C | 75105 C (mm)






SOLO (230 V ~)

Mono




Stereo





ORQUESTRA (12 V  $\equiv$ )

Mono













Stereo



LOUDSPEAKERS

Mono



Stereo



LOUDSPEAKERS

Mono

Stereo





efapel.com



Serpins,  
3200-355 Serpins  
Portugal

Portugal  
efapel@efapel.com  
+351 239 970 130

Export  
export@efapel.com  
+351 239 970 135

SAT Technical Support Service  
sat@efapel.com  
+351 239 970 132

